Memorandum of Understanding Sole Source Aquifer

MEMORANDUM OF UNDERSTANDING between THE FEDERAL HIGHWAY ADMINISTRATION REGION 10, PORTLAND, OREGON and

THE ENVIRONMENTAL PROTECTION AGENCY REGION 10, SEATTLE, WASHINGTON

and

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION OLYMPIA, WASHINGTON

Sole Source Aquifer State of Washington

I. INTRODUCTION

The purpose of this memorandum is to develop an understanding between the Environmental Protection Agency (EPA), the Federal Highway Administration (FHWA), and the Washington State Department of Transportation (WSDOT) concerning the review of projects on Federal-aid highways which may affect water quality of the designated sole source aquifer listed on Attachment A, hereinafter referred to as the Aquifers. The agreement area is the collective designated "sole source area" encompassing these Aquifers. This memorandum outlines basic criteria against which projects will be evaluated and the procedures to be followed by FHWA and EPA in conducting project evaluation and formal review within the State of Washington.

II. GOAL AND DEFINITIONS

The goal of this memorandum is to assure that each highway project that is to receive FHWA financial assistance is designed and constructed in a manner that will prevent the introduction of contaminants into a "sole source" Aquifer in quantities that may create a significant hazard to public health. A "significant hazard to public health" will be deemed to occur if the level of contaminants in an Aquifer would:

- 1. exceed National Primary Drinking Water Standards, or
- 2. exceed public health advisory levels for currently unregulated contaminants, or
- 3. violate the intent of Executive Order 12088, "Federal Compliance With Pollution Control Standards," or
- 4. otherwise threaten public health.

In determining whether a level of contaminant would threaten public health, the following factors, at a minimum, shall be considered:

- 1. the toxicity and transportation/transformation of the contaminants involved;
- 2. the volume of contaminants which may enter the Aquifer; and
- 3. aquifer characteristics, i.e., geochemical, hydrological, geological, etc., and attenuation capability of the Aquifer.

III. CRITERIA AND PROCEDURES

EPA, FHWA, and WSDOT hereby mutually agree that all Federal-aid highway projects within the designated sole source Aquifers listed in Attachment A will be constructed so as not to cause to be exceeded the maximum contaminant levels promulgated by the Washington State Department of Social and Health Services in WAC 248-54-175.

EPA will be provided an early opportunity to participate in the development and review of all environmental documents for projects listed in Attachment C, which are within the Aquifer(s) listed in Attachment A.

EPA agrees that all environmental documentation submitted by WSDOT to FHWA and EPA for evaluation or review purposes shall be responded to within thirty (30) calendar days of receipt unless:

- 1. There are comments (with substantiating data) arising from the Intergovernmental Project (IP) review indicating adverse impacts on the Aquifer. WSDOT, through FHWA, will immediately send these comments to EPA who will notify FHWA and WSDOT within thirty (30) days of receipt of the comments regarding EPA's decision.¹
- 2. EPA receives a citizen's petition at any time during the IP review or at any time before FHWA has approved the project's final environmental document. EPA will immediately notify FHWA and WSDOT (in writing, if time permits or by telephone if the end of the comment period is near). EPA will reevaluate the project, and will notify FHWA and WSDOT within thirty (30) days of receiving such petition information of EPA's decision.1
- 3. EPA requests either by telephone or in writing for additional review time. If EPA requests additional time, EPA will inform FHWA and WSDOT within thirty (30) additional days of the results of this evaluation.

IV. GENERAL INFORMATION

Materials furnished EPA by WSDOT, with a copy of FHWA, under this Memorandum of Understanding will be addressed to the attention of the Office of Ground Water in EPA's Region 10 Office in Seattle. Project review comments or findings by EPA will be addressed to the Washington FHWA Division Office and WSDOT Environmental Unit Manager.

FHWA, WSDOT, and EPA will assign a liaison officer to serve as a central contact point to be responsible for maintaining communications as to procedures and activities of their respective Agency. The liaison officers are:

FHWA: Regional Environmental Program Manager

> FHWA Region 10 Office 708 Southwest Third Avenue Portland, Oregon 97204 (503) 221-2061 or FTS 423-2061

¹ However, the EPA Regional Administrator reserves the right to extend this time period where he finds that additional information is needed, that additional administrative review is necessary, or that it will be in the public interest to hold a public hearing. EPA will notify FHWA of any extension of the review time period.

Division Administrator FHWA Washington Division Suite 501, Evergreen Plaza 711 South Capitol Way Olympia, Washington 98501 (206) 753-9480 or FTS 434-9413

WSDOT: Environmental Unit Manager

Washington State Department of Transportation

Transportation Building

Olympia, Washington 98504-5201

(206) 753-0355

EPA: Chief, Office of Ground Water

U.S. Environmental Protection Agency 1200 Sixth Avenue, Mail Stop 409

Seattle, Washington 98101 (206) 442-1216 or FTS 399-1216

The liaison officers accompanied by appropriate staff will hold meetings as needed to discuss matters of concern related to the Aquifers and this Memorandum of Understanding.

This Memorandum of Understanding is subject to revision upon agreement of all following agencies.

Washington State Department of Transportation	Federal Highway Administration Washington Division Administrator
Signed: Robert C. Schuster Assistant Secretary for Highways	Signed: Paul C. Gregson Division Administrator
Date <u>6-22-88</u>	Date: 6-28-88
Federal Highway Administration	Environmental Protection Agency
Signed: M. Eldon Green Regional Administrator	Signed: Robie G. Russell Regional Administrator
Date:8-1-88	Date: 8-16-88

2: PD.53

ATTACHMENT A

Pursuant to the Safe Drinking Water Act (42 USC 300-h-3e), EPA has determined that the aquifers listed below are the sole or principal drinking water source for their respective designated areas. As such, no commitment for federal financial assistance may be entered into within the boundaries of these designated areas for any project which EPA determines may contaminate any of these aquifers through their recharge zones (watershed map shown for each aquifer) so as to create a significant hazard to public health or the environment.

Aquifer Name	Location	Federal Register Notice	Date
Spokane Valley Rathdrum Prairie	Spokane County, WA	Vol. 43, No. 28 5566 et. seg.	2/9/78
Whidbey Island	Island County, WA	Vol. 47, No. 66 14779 et. Seg.	4/6/82
Camano Island	Island County, WA	Vol. 47, No. 66 14779 et. Seg.	4/6/82
Cross Valley	Snohomish County, WA King County, WA	Vol. 52, No. 95 18606 et. Seg.	5/18/87
Newberg Area	Snohomish, County, WA	Vol. 52, No. 192 37215 et. Seg.	10/5/82
Cedar Valley	City of Renton King County, WA	Vol. 53, No. 191 38779 et. Seg.	10/3/88
Lewiston Basin	Asotin and Garfield Counties, WA	Vol. 53, No. 191 38782 et. Seg.	10/3/88

[Note - error "et seg." for "et seq." is in original]

ATTA: D3: PD3

ATTACHMENT B

Projects that need not be referred to EPA

Resurfacing; lighting; signing; pavement marking; guardrail; signalization; freeway surveillance and control system; railroad protective devices; glare screening; median barriers; energy attenuators; and the temporary replacement of highway facilities damaged by natural disasters or catastrophic failures.

ATTACHMENT C

Projects listed below should be submitted to EPA for evaluation and comment:

- 1. All projects within the designated aquifer documented by an Environmental Assessment or Environmental Impact Statement.
- 2. All categorical excluded projects that include:
 - a. Addition of drainage wells, detention or retention basins or new wetland areas.
 - b. Addition or widening of lanes or opening of new material sources which could result in a potential contamination.
 - c. Rest areas, weigh stations or scenic overlooks with sewage disposal stations.
 - d. Landscape construction projects if pesticides, herbicides, and fertilizers use any of the compounds listed or exceed the list on Attachment D.

ATTACHMENT D — August 1987

National Primary Drinking Water Regulations¹ (40 CFR Part 141)

	(10 01111111)	
Inorganics	Arsenic	0.05 mg/l
	Barium	1.0 mg/l
	Cadmium	0.010 mg/l
	Chromium	0.05 mg/l
	Lead	0.05 mg/l
	Mercury	0.002 mg/l
	Nitrate (as N)	10 mg/l
	Selenium	0.01 mg/l
	Silver	0.05 mg/l
	Fluoride	4 mg/l
Pesticides	Endrin	0.0002 mg/l
	Lindane	0.004 mg/l
	Methoxychlor	0.1 mg/l
	Toxaphene	0.005 mg/l
	2,4 – D	0.1 mg/l
	2,4,5 – TP Silvex	0.01 mg/l
Microbiological	Coliform bacteria	1/100 ml ^b
Physical/Microbiological	Turbidity	1 NTU ^c
Radiological	$Radium - Ra_{226} + Ra_{228}$	5 pCi/l
	Gross alpha particle activity	15 pCi/l
	Beta particle and	4 mrem
	photon radioactivity	(annual dose equivalent)
Volatile Organics	Total Trihalomethanes	0.10 mg/l
	Trichloroethylene	.005 mg/l
	Carbon Tetrachloride	.005 mg/l
	1,2 Dichloroethane	.005 mg/l
	Vinyl Chloride	.002 mg/l
	Benzene	.005 mg/l
	Para – Dichlorobenzene	.075 mg/l
	1,1 – Dichloroethylene	.007 mg/l
	1,1,1 Trichloroethane	0.2 mg/l
In 1.10 1 11 64		1 1 1 1 July 1

National Secondary Drinking Water Regulations ² (40 CFR Part 143)

Chloride	250 mg/l
Color	15 color units
Copper	1 mg/l
Corrosivity	Non-corrosive
Foaming Agents	0.5 mg/l
Iron	0.3 mg/l
Manganese	0.05 mg/l
Odor	3 threshold odor number
Odor pH	3 threshold odor number $6.5 - 8.5$
	e unesnote odor numeer
pH	6.5 – 8.5
pH Sulfate	6.5 - 8.5 250 mg/l
pH Sulfate Total Dissolved Solids	6.5 – 8.5 250 mg/l 500 mg/l

² Regulated for health concerns.

Regulated for health concerns. *As a monthly average; individual samples may be higher. **Up to 5 NTU in some circumstances.

Pesticides Included in the EPA National Pesticide Survey April 14, 1988

Acifluorfen* Methoxychlor * 3,5-Dichlorobenzoic acid Alachlor * 1,2-Dichloropropane Metribuzin * Aldicarb * cis-1,3-Dichloropropene * Metribuzin DA Aldicarb * trans-1, 3-Dichloropropene * Metribuzin DADK Aldicarb sulfone * Dichlorprop Metribuzin DK Aldicarb sulfoxide * Dichlorvos Mevinphos Aldrin Dieldrin * MGK 264 Ametryn * Dinoseb * Molinate Altraton Diphenamid * Napropamide Disulfoton * Neburon Atrazine *

Atrazine, dealkylated metabolite Disulfoton sulfone Nitrates/Nitrites * Barban Disulfoton sulfoxide 4-Nitrophenol Baygon * Diuron Norflurazon Bentazon * EDB * Oxamyl * PCP Bromacil * Endosulfan I Butachlor Endosulfan II Pebulate Butylate * Endosulfan sulfate cis-Permethrin Carbaryl * Endrin * trans-Permethrin Carbofuran * Endrin aldehyde Pichloram * Carbofuran phenol **EPTC** Prometon * Carbonfuran pheno – 3KET Ethoprop Prometryn Carbofuran – 3OH Etridiazole Pronamide *

Carboxin * ETU * Pronamide metabolite, RH 24,580 *

Chlordane-alpha * Fenamiphos * Propachlor * Fenamiphos sulfone Propanil Chlordane-gamma Fenamiphos sulfoxide Propazine * Chlorneb Chlorobenzilate Fanarimol Propham * Simazine * Chlorothalonil * Fluometuron Chlorpropham Fluridone Simetryn Chanazine * HCH-alpha Stirofos Cycloate HCH-beta Swep 2,4-D * 2,4,5-T * HCH-delta DBCP * 2,4,5-TP * HCH-gamma **DCPA** Heptachlor * Tebuthiuron * DCPA diacid metabolite Heptachlor epoxide * Terbacil * Hexachlorobenzene * Terbufos * 4,4' - DDD 4,4' - DDE Hexazinone * Terbutryn 4,4' - DDT 5-Hydroxy Dicamba Triademefon Linuron Demeton-S Tricyclazole Diazinon * Merphos Trifluralin *

> Methiocarb Methomyl *

Dicamba *

Vernolate

^{*} Priority pesticides which have a high potential for leaching into groundwater. This list is current as of April 14, 1988, but the list of priority pesticides could change. For information on Health Advisories, contact the Safe Drinking Water Hotline 800-426-4791, toll-free Monday through Friday, 8:30 a.m. to 4:30 p.m., E.S.T. (In Washington D.C., call 382-5533).